



W.steps

RESCUE Line

Designed to save lives.

The only one of its kind

The W.steps RESCUE Line is the world's first telescopic ladder that allows three people to use the ladder at the same time. The rugged tactical ladder can hold up to 1,100 pounds. The unique design gives first responders the ability to carry people up or down during rescue missions.

Our R&D team collaborated with first responders to create the perfect rescue ladder to meet the intense demands of emergency situations.



Your safety is our top priority

Designed and manufactured in Sweden, the telescopic RESCUE Line ladders from W.steps are available in two heights – 11.5 feet and 13.5 feet. The telescopic height makes them ideal for use during first responder situations that require quick adjustments and reliable equipment.

These ladders feature exclusive innovations to help during rescue situations, such as height indicators, safe grip, and Autostep® Automatic Locking System.

All of our telescopic ladders have triangular tubes, a patented design that makes them twist and flex resistant.

W.steps will never compromise on safety. Our RESCUE Line is certified according to NFPA 1930 and the European EN 1147. It is specifically designed for fire and rescue workers and obtained one of the most difficult certifications available for a telescopic ladder.

Our dedicated factory team in Sweden pays attention to every detail during the manufacturing process so that each industrial ladder we build lives up to our premium quality and safety standards.

We let you focus on the job, not on the safety of your ladder.



As a Stretcher

Our RESCUE ladders quickly convert to a stretcher: the top rungs push together to form a head rest, the ends of the ladder can be gripped as handles and height indicators help size the stretcher to the individual.

In addition, the RESCUE ladders feature a textured surface right below the third rung, which improves grip when transporting the ladder or using it as a stretcher.




Small details make a big difference.



Rubber Top
Works on uneven surfaces, avoids sliding, and prevents wall damage.




Adjustable Height
Quickly extends to your desired height.



Height Indicators
Ladder instantly opens to a desired height.



Ergonomic Design
Wide and precisely level rungs minimize slipping and reduce fatigue.




Strong Triangular Design
Patented design is twist and flex resistant. U.S. Patent No. Des. US D683,479 S.



Safe Locking
Red indicator tabs provide visual confirmation and ensure safety.



Integrated Handle
An integrated handle makes the ladder very easy to carry.




Safe Grip
Textured surface to improve grip when transporting or using as stretcher.



Smart & Safe Unlocking
The Autostep® Automatic Locking System features two push buttons for easy unlocking when retracting the ladder.



Angled Rubber Feet
Maximum surface contact ensures secure footing and added safety.





Choose the right one

Our RESCUE Line is available in two different sizes.



RESCUE 11.5 FT
72735-525

- EN1147 Certified
- Load capacity: 1100 lbs



RESCUE 13.5 FT
72741-525

- EN1147 Certified
- Load capacity: 1100 lbs

Mfg. no.	Model	No. of rungs	Rung width	Working height	Height (Extended)	Height (Closed)	Width	Weight
72735-525	RESCUE 11.5 FT	11	2"	14' 6"	11' 6"	44"	18' 6"	33.1 lbs
72741-525	RESCUE 13.5 FT	13	2"	16' 6"	13' 6"	46"	18' 6"	42.3 lbs

Accessories

Make your W.steps telescopic ladder even better with accessories that enhance both convenience and safety.



Adjustable Safety Feet

Ensure full ground contact even when the surface is uneven.

Mfg. no.	Compatible with
9190-205	PRIME Line and RESCUE Line



Ground Spikes

Provide an extremely secure grip in snow, mud, or loose dirt.

Mfg. no.	Compatible with
9142-105	Adjustable Safety Feet



Rubber Feet (Spare Parts)

Maximum surface contact ensures secure footing and added safety.

Mfg. no.	Model	Compatible with
9550-505	RUBBER FEET	PRIME 9.5 FT and RESCUE 11.5 FT
9551-505	RUBBER FEET	PRIME 11.5 FT and RESCUE 13.5 FT



Rubber Tops (Spare Parts)

Work on uneven surfaces, avoid sliding, and prevent wall damage.

Mfg. no.	Model	Compatible with
9553-505	RUBBER TOPS	RESCUE Line



Scan QR code to
learn more.

w.steps

info@hultaforsgroup.us | 262-242-1161 | www.wsteps.us
6333 West Donges Bay Road, Mequon, WI 53092



Part #: WSR.01.2025